

ORDER FORM

Quickie® 2



Failure to use an order form for a Quickie chair order may result in delay or wrong shipment

Please send all orders to:
Fax: +44 (0)845 605 66 89
Email: orders@sunmed.co.uk

Please ask for details on how to order online @

www.sunscript.co.uk



Sunrise Medical Ltd


Thorns Road, Brierley Hill, West Midlands, DY5 2LD

www.SunriseMedical.com

Standard Features:


- ◆ Foldable modular aluminium frame
- ◆ Swing-away footrests
- ◆ Standard front seat height 49.5cm (19 5/8")
- ◆ Rear seat height 47cm (18 1/4")
- ◆ Low rider hemi-frame available,
Front seat height 45cm (17 5/8")
Rear seat height 42cm (16 1/4")
Minimum seat height 15" (38cm)
- ◆ Tension adjustable nylon seat upholstery and
5cm (2") seat cushion
- ◆ Swing-away armrests
- ◆ Height adjustable backrest with padded nylon upholstery
- ◆ 24" quick-release rear wheels, pneumatic tyres, cross-spoked
- ◆ Infinite centre point of gravity adjustment achieved with
slotted horizontal axle plate
- ◆ 8" front castors with pneumatic tyres
- ◆ Wide choice of frame colours
- ◆ Black anodised frame parts
- ◆ This Quickie model is ideal in combination with a Jay seating
system
- ◆ Weight 13kg
- ◆ Maximum user weight limit 113 kg

How to measure:




Seat Depth

From front of seat sling to back of seat sling




Seat Width

From outside seat rail tube to outside seat rail tube



SA Model Frame Length

From outside rear frame to outside front frame



Back Height

From seat sling to top of backrest sling


All Sunrise Medical wheelchairs and powerchairs are compatible with **JAY** cushions and backrests, including our new range of J3 backrests

Visit www.jay3seating.eu or contact your local ASM for more information

JAY®

Prices:

All prices are in Pounds Sterling and Euros and exclude VAT. For latest issue, please refer to www.sunrisemedical.com. Please consult Sunrise Medical with any queries you may have.

ORDER FORM	
Quickie® 2	
	Failure to use an order form for a Quickie chair order may result in delay or wrong shipment

Please send all orders to:
Fax: +44 (0)845 605 66 89
Email: orders@sunmed.co.uk

Please ask for details on how to order on line @
www.sunscript.co.uk

Invoice to:
 Name:
 Street:
 Town:
 Postal Code:
 Country:
 Telephone: _____ Fax: _____

Ship to:
 Name:
 Street:
 Town:
 Postal Code:
 Country:
 Telephone: _____ Fax: _____

Order Date:
 Purchase Order (Repeat on all pages):
 Number Required:

Marked for:
 Sunrise Order No:

Please fill boxes, do not tick = Standard = Option N/C = No Cost Option Std = Standard

		£			£	TOTAL
MODEL						
<input type="radio"/> Quickie 2 (Swing-away front frame)	1995		<input type="checkbox"/> Quickie 2 (Hemi front frame)	1995		
FRAME COLOUR (Mark one box)						
Gloss Finish:			Matt/Frost Finish:			
<input type="radio"/> 1 White Ral 9010	N/C		<input type="checkbox"/> 3 Matt Silver	73		
<input type="radio"/> 2 Brilliant Silver	N/C		<input type="checkbox"/> 8 Matt Lime	73		
<input type="radio"/> 4 Silver	N/C		<input type="checkbox"/> 16 Matt Marine	73		
<input type="radio"/> 5 Silver Moon	N/C		<input type="checkbox"/> 20 Matt Purple			
<input type="radio"/> 6 Sun Yellow	N/C		<input type="checkbox"/> 23 Matt Red			
<input type="radio"/> 7 Brilliant Lime	N/C					
<input type="radio"/> 14 Blue	N/C					
<input type="radio"/> 14 Blue	N/C					
<input type="radio"/> 15 Brilliant Marine	N/C					
<input type="radio"/> 19 Brilliant Purple	N/C					
<input type="radio"/> 21 Red Ruby	N/C					
<input type="radio"/> 22 Brilliant Red	N/C					
<input type="radio"/> 24 Tutti Fruitti Orange	N/C					
<input type="radio"/> 26 Silver Texture	N/C					
<input type="radio"/> 27 Graphite Metallic	N/C					
<input type="radio"/> 28 Platinum Metallic	N/C					
<input type="radio"/> 29 Black	N/C					
COLOURED CHAIR PARTS						
<input type="checkbox"/> Coloured cross brace (Same colour as frame)	N/C		<input type="checkbox"/> Chair colour set (Castor fork, housing, cross brace, handrim, seat rails & axle plate)			
			Colour (Mark one box):			
			<input type="checkbox"/> 3 Matt Silver	143		
			<input type="checkbox"/> 8 Matt Lime	143		
			<input type="checkbox"/> 10 Matt Candy Teal	143		
			<input type="checkbox"/> 16 Matt Marine			
			<input type="checkbox"/> 20 Matt Purple			
			<input type="checkbox"/> 23 Matt Red			
FRAME WIDTH (Mark one box)						
<input type="radio"/> Frame width 14"/ 35 cm	Std		<input type="radio"/> Frame width 18"/ 45 cm	Std		
<input type="radio"/> Frame width 15"/ 37,5 cm	Std		<input type="radio"/> Frame width 19"/ 47.5 cm	Std		
<input type="radio"/> Frame width 16"/ 40 cm	Std		<input type="radio"/> Frame width 20"/ 50 cm	Std		
<input type="radio"/> Frame width 17"/ 42,5 cm	Std					
REAR FRAME (Mark one box)						
<input type="radio"/> Straight rear frame	Std		<input type="checkbox"/> Rounded rear frame (11) (Lowest two axle positions and 20" wheels not available)	N/C		
FRAME LENGTH (Mark one combination of frame length and seat depth)						
Quickie 2 Swing-away Front Frame:						
<input type="checkbox"/> Frame length kids (Not available with 24" or 26" wheels)	N/C					
<input type="checkbox"/> Seat depth 14"/35 cm						
<input type="radio"/> Frame length reg	Std					
<input type="radio"/> Seat depth 15"/37,5 cm	Std					
<input type="radio"/> Seat depth 16"/40 cm	Std					
<input type="checkbox"/> Frame length long	N/C					
<input type="checkbox"/> Seat depth 17"/42,5 cm	N/C					
<input type="checkbox"/> Seat depth 18"/45 cm	N/C					
SEAT TYPE (Mark one cushion and sling choice)						
Cushion:			Sling:			
<input type="radio"/> Cushion 2"/ 5 cm	Std		<input type="radio"/> Sling upholstery, tension adjustable	Std		
<input type="checkbox"/> Omit cushion	-26		<input type="checkbox"/> Omit sling upholstery	-21		

All prices are in Pounds Sterling and Euros and exclude VAT. For latest issue, please refer to www.sunrisemedical.com.
 Please consult Sunrise Medical with any queries you may have.

Purchase Order (Repeat on all pages):

	£		£	TOTAL
BACKREST (Mark one type and choices underneath)				
<input type="radio"/> Straight backrest Push handles (Mark one box): <input type="radio"/> With push handles (Not available with stroller handles) <input type="checkbox"/> Without push handles Upholstery (Mark one box): <input type="radio"/> Padded upholstery <input type="checkbox"/> Optima back upholstery (Tension adjustable, not w/o push handles or low height) <input type="checkbox"/> Omit back upholstery (Mark one box) Continued in right column >	Std Std N/C Std 103 -25	< Continued from left column Back Height (Mark one box): <input type="checkbox"/> Low 11-12"/28-30cm (F.S. 12"/30cm) (1) <input type="radio"/> Med 14-15"/35-38cm (F.S. 15"/38cm) (1) <input type="checkbox"/> Tall 16-18"/40-46cm (F.S. 17"/43cm) (1) Stroller handles (optional): (Only w/out push handles) <input type="checkbox"/> Regular	N/C Std N/C 138	
<input type="checkbox"/> 8° Bend backrest with push handles Upholstery (Mark one box): <input type="radio"/> Padded upholstery <input type="checkbox"/> Optima back upholstery (Tension adj., not w/o push handles) <input type="checkbox"/> Omit back upholstery Back Height (Mark one box): <input type="radio"/> Medium 14-15"/35-38cm (F.S. 15"/38cm) (1) <input type="checkbox"/> Tall 16-18"/40-46cm (F.S. 17"/43cm) (1)	N/C Std 103 -25 Std N/C	<input type="checkbox"/> Half folding backrest with push handles Backrest angle (Mark one box): <input type="radio"/> Straight back tubes <input type="checkbox"/> 8° back tubes Upholstery (Mark one box): <input type="radio"/> Padded upholstery <input type="checkbox"/> Omit back upholstery Back Height (Mark one box): <input type="checkbox"/> Low 13-14"/33-35cm (F.S. 14"/35cm) (1) (Not possible on 8° bend half folding back) <input type="radio"/> Medium 16-17"/40-43cm (F.S. 17"/43cm) (1) <input type="checkbox"/> Tall 18-19"/46-48cm (F.S. 19"/48cm) (1)	48 Std N/C Std -25 N/C Std N/C	
<input type="checkbox"/> Optima back with integrated height adjustable push handles, 12° angle adjustment Backrest angle (Mark one box): <input type="radio"/> straight back tubes <input type="checkbox"/> 8° back tubes Upholstery (Mark one box): <input type="checkbox"/> Optima back upholstery (Tension adjustable) <input type="checkbox"/> Omit back upholstery Back Height (Standard): <input type="radio"/> Medium Height (1) (16"-19"/40-48cm height adjustment, F.S. 16"/40 cm)	93 Std N/C 103 -25 Std	<input type="checkbox"/> Backrest with integrated height adjustable push handles Backrest angle (Mark one box): <input type="radio"/> Straight backrest <input type="checkbox"/> 8° backrest Upholstery (Mark one box): <input type="radio"/> Padded upholstery <input type="checkbox"/> Optima back upholstery (Tension adjustable, with back stabiliser bar) <input type="checkbox"/> Omit back upholstery Back Height (Standard): <input type="radio"/> Medium Height (16"-19"/40-48cm height adjustment, F.S. 16"/40 cm) (1)	93 Std N/C Std 103 -25 Std	
ARMRESTS (Mark one box)				
<input type="radio"/> Padded swing away armrest (pair) (7) (Not with optima backrest or amputee axle bracket) <input type="checkbox"/> Adult composite height adj. w/10" std pad (pair) (2) <input type="checkbox"/> Adult composite height adj. w/14" full length pad (pair) (2) <input type="checkbox"/> Aluminium adult height adj. w/10" std pad (pair) (2) <input type="checkbox"/> Aluminium adult height adj. w/14" full length pad (pair) (2)	Std 118 118 118 118	<input type="checkbox"/> Kids aluminium height adj. armrest w/10" std pad (pair) <input type="checkbox"/> Kids aluminium height adj. armrest w/14" std pad (pair) <input type="checkbox"/> Tool height adjustable armrest w/10" std pad (pair) (2) <input type="checkbox"/> Tool height adjustable armrest w/14" long pad (pair) <input type="checkbox"/> Omit armrest (pair)	118 118 48 48 -47	
SIDE GUARDS (optional)				
<input type="checkbox"/> Plastic side guards (pair) (Not available in combination with height adjustable armrests)	137	<input type="checkbox"/> Fender guards (pair) (Not on kids frame or in w/ height adjustable armrests) <input type="checkbox"/> Fabric side guards	176 48	
HANGERS/FOOTPLATES/EXTENSION TUBES (Mark one type, continued on next page)				
<input type="checkbox"/> 60° Hangers (pair) Footplates (Mark one box): <input type="checkbox"/> One piece flip-up angle adjustable with legstrap (pair) (3) <input type="radio"/> Composite footplates with heel loops (pair) <input type="checkbox"/> Angle adjustable footplates with heel loops (pair) <input type="checkbox"/> Foam footplates with legstrap (pair) (3) <input type="checkbox"/> Omit footplate (pair) Legstrap (optional): <input type="checkbox"/> Additional legstrap Extension Tubes (Mark one box): <input type="radio"/> Extension tubes short/medium (pair) <input type="checkbox"/> Extension tubes long (pair) Amputee Support Pad (is fitted to hanger and replaces footplate and ext. tube) (Optional): <input type="checkbox"/> Amputee support pad left <input type="checkbox"/> Amputee support pad right	N/C 118 Std 73 N/C -25 25 Std N/C 16 16	<input type="radio"/> 70° Hangers (pair) Footplates (Mark one box): <input type="checkbox"/> One piece flip-up angle adjustable with legstrap (pair) (3) <input type="radio"/> Composite footplates with heel loops (pair) <input type="checkbox"/> Angle adjustable footplates with heel loops (pair) <input type="checkbox"/> Foam footplates with legstrap (pair) (3) <input type="checkbox"/> Omit footplate (pair) Legstrap (optional): <input type="checkbox"/> Additional legstrap Extension Tubes (Mark one box): <input type="radio"/> Extension tubes short/medium (pair) <input type="checkbox"/> Extension tubes long (pair) Amputee Support Pad (is fitted to hanger and replaces footplate and ext. tube) (Optional): <input type="checkbox"/> Amputee support pad left <input type="checkbox"/> Amputee support pad right	Std 118 Std 73 N/C -25 25 Std N/C 16 16	

Quickie® 2

Please ask for details on how to order online @

www.sunscript.co.uk

Purchase Order (Repeat on all pages):

	£		£	TOTAL
HANGERS/FOOTPLATES/EXTENSION TUBES (Mark one type and choices underneath)				
<input type="checkbox"/> Elevating legrest (pair) (not on hemi model) Footplates (Mark one box): <input type="radio"/> Composite flip-up footplates with heel loop (pair) <input type="checkbox"/> Angle adjustable footplates with heel loops (pair) <input type="checkbox"/> Omit footplates (pair) Calf Pad: <input type="checkbox"/> Straight calf pad <input type="radio"/> Curved calf pad Legstrap (optional): Extension Tubes (Mark one box): <input type="radio"/> Extension tubes short/medium (pair) <input type="checkbox"/> Extension tubes long (pair)	157 Std 73 -25 N/C Std Std N/C	<input type="checkbox"/> 70° V-Hangers (not available on hemi model) (Not available on hemi frame, not below seat width 16"/40 cm) Footplates (Mark one box): <input type="checkbox"/> One piece flip-up angle adjustable with legstrap (pair) <input type="radio"/> Composite footplates with heel loops (pair) <input type="checkbox"/> Angle adjustable footplates with heel loops (pair) <input type="checkbox"/> Foam footplates with legstrap (pair) (3) <input type="checkbox"/> Omit footplate (pair) Legstrap (optional): <input type="checkbox"/> Additional legstrap Extension Tubes (Mark one box): <input type="checkbox"/> Extension tubes short (pair) <input type="radio"/> Extension tubes medium (pair) <input type="checkbox"/> Extension tubes long (pair)	N/C 118 Std 73 N/C -25 25 N/C Std N/C	
<input type="checkbox"/> Articulating legrest (pair) (not on hemi model) Footplates (Mark one box): <input type="radio"/> Composite flip-up footplates with heel loop (pair) <input type="checkbox"/> Angle adjustable footplates with heel loops (pair) <input type="checkbox"/> Omit footplates (pair) Calf pad: <input type="radio"/> Straight calf pad Extension Tubes (Mark one box): <input type="checkbox"/> Extension tubes short (pair) <input type="radio"/> Extension tubes medium (pair) <input type="checkbox"/> Extension tubes long (pair)	298 Std 73 -25 Std N/C Std N/C	<input type="checkbox"/> 90° Hangers (pair) (not available on hemi model) (Not available with 26" wheels, 8" castors or hemi frame) Footplates (Mark one box): <input type="checkbox"/> Angle adjustable footplates with heel loops (pair) <input type="radio"/> 90° Adjustable flip-up footplates with legstrap (pair) (3) <input type="checkbox"/> Omit footplate (pair) Legstrap (optional): <input type="checkbox"/> Additional legstrap	N/C 66 Std -25 25	
CASTORS (Mark one box)				
<input type="checkbox"/> 5" Solid (pair) <input type="checkbox"/> 5" Low-profile polyurethane castors (pair) <input type="checkbox"/> 6" Solid castors (pair) <input type="checkbox"/> 6" Pneumatic castors (pair)	N/C N/C N/C N/C	<input type="radio"/> 8" Solid castors (pair) (2) <input type="checkbox"/> 8" Pneumatic castors (pair) (2) <input type="checkbox"/> 8" x 2" Solid castors (pair) (2)	Std N/C N/C	
CASTORS (Mark one box)				
<input type="radio"/> 5 1/4" Castor fork (pair) <input type="checkbox"/> 6" Castor fork (pair)	Std N/C	<input type="checkbox"/> 7" Castor fork (pair) (9) <input type="checkbox"/> 8" Castor fork (pair) (4, 9)	N/C N/C	
CASTOR STEM (Optional)				
<input type="checkbox"/> 3/4" Longer fork stem bolt (pair)	N/C	<input type="checkbox"/> 1 1/2" Longer fork stem bolt (pair)	N/C	
AXLE PLATES (Mark one box)				
<input type="radio"/> Slotted indexed horizontal axle plate (pair) <input type="checkbox"/> Curved axle plate (pair) (Not with One Arm Drive)	Std N/C	<input type="checkbox"/> Slotted horizontal amputee axle plate (pair) (Not with swing-away armrests or stroller handles) <input type="checkbox"/> One arm drive axle plate (pair)	25 N/C	
(Standard)				
<input checked="" type="radio"/> Quick Release axles (pair)	Std			
RIVE (Optional)				
<input type="checkbox"/> One Arm Drive (Non quick-release Mag wheels only) <input type="checkbox"/> Dual handrim mounted left hand side	825 N/C	<input type="checkbox"/> Dual handrim mounted right hand side <input type="radio"/> Inner handrim standard (Only in aluminium) (Not available with 20" wheel) <input type="checkbox"/> Inner handrim small	N/C Std N/C	

All prices are in Pounds Sterling and Euros and exclude VAT. For latest issue, please refer to www.sunrisemedical.com. Please consult Sunrise Medical with any queries you may have.

Purchase Order (Repeat on all pages):

	£		£	TOTAL
REAR WHEEL SIZE/TYRE/TYRE/HANDRIM (Mark one type of wheel, size, tyre, handrim, and tab)				
<input type="checkbox"/> Rear wheel size 20" Rear Wheel Type: <input type="radio"/> X-spoke (pair) Tyre Type: <input type="radio"/> Pneumatic tyre (pair) <input type="checkbox"/> Solid tyre (pair) (10) Handrims: <input type="radio"/> Aluminium handrim (pair) <input type="checkbox"/> Plastic coated handrim (pair) <input type="checkbox"/> Omit handrims (pair) Tabs: <input type="radio"/> Short tabs (pair) <input type="checkbox"/> Long tabs (pair)	N/C Std Std 32 Std 74 -29 Std 47	<input type="checkbox"/> Rear wheel size 22" Rear Wheel Type: <input type="checkbox"/> Mag (pair) <input type="radio"/> X-spoke (pair) Tyre Type: <input type="radio"/> Pneumatic tyre (pair) <input type="checkbox"/> Solid tyre (pair) (10) Handrims: <input type="radio"/> Aluminium handrim (pair) <input type="checkbox"/> Plastic coated handrim (pair) <input type="checkbox"/> Omit handrims (pair) Tabs: <input type="radio"/> Short tabs (pair) <input type="checkbox"/> Long tabs (pair)	N/C N/C Std 32 Std 74 -29 Std 47	
<input type="radio"/> Rear wheel size 24" (2) Rear Wheel Type: <input type="checkbox"/> Mag (pair) <input type="radio"/> X-spoke (pair) Tyre Type: <input type="radio"/> Pneumatic tyre (pair) <input type="checkbox"/> Solid tyre (pair) (10) <input type="checkbox"/> High pressure clincher (pair) (Not available on Mag wheel) Handrims: <input type="radio"/> Aluminium handrim (pair) <input type="checkbox"/> Plastic coated handrim (pair) <input type="checkbox"/> Stainless steel handrim (pair) (8) <input type="checkbox"/> Foam grip handrim (pair) (8) <input type="checkbox"/> Omit handrims (pair) Tabs: <input type="radio"/> Short tabs (pair) <input type="checkbox"/> Long tabs (pair)	Std N/C Std Std 32 48 Std 74 82 149 -29 Std 47	<input type="checkbox"/> Rear wheel size 26" (2) Rear Wheel Type: <input type="radio"/> X-spoke (pair) Tyre Type: <input type="radio"/> Pneumatic tyre (pair) <input type="checkbox"/> High pressure clincher (pair) Handrims: <input type="radio"/> Aluminium handrim (pair) <input type="checkbox"/> Plastic coated handrim (pair) <input type="checkbox"/> Omit handrims (pair) Tabs: <input type="radio"/> Short tabs (pair) <input type="checkbox"/> Long tabs (pair)	52 Std Std 48 Std 74 -29 Std 47	
WHEEL LOCKS (Mark one box)				
<input type="radio"/> High push knee lever wheel locks (pair) <input type="checkbox"/> High scissor wheel locks (pair) (Not on Kids frame, ext. handles)	Std N/C	<input type="checkbox"/> Active wheel lock <input type="checkbox"/> Drum brakes (pair) (5) (Not available with Mag wheels)	N/C 301	
WHEEL LOCK (Optional)				
<input type="checkbox"/> 6" Wheel lock extension (pair)	33			
ACCESSORIES (Optional)				
<input type="checkbox"/> Caddy (pair) (6) <input type="checkbox"/> Crutch holder <input type="checkbox"/> Spoke guards Space Alien 22", 24" (pair) (8) <input type="checkbox"/> Spoke guards Purple Turtle 22", 24" (pair) (8) <input type="checkbox"/> Spoke guards Get Out There 22", 24" (pair) (8) <input type="checkbox"/> Spoke guards Leopard 22", 24" (pair) (8) <input type="checkbox"/> Spoke guards clear 22", 24" (pair) <input type="checkbox"/> Spoke guards black 22", 24" (pair) <input type="checkbox"/> Neoprene impact guards (pair) (6) <input type="checkbox"/> Tool kit	48 54 100 100 100 100 93 93 29 21	<input type="checkbox"/> Step tube left (7) <input type="checkbox"/> Step tube right (7) <input type="checkbox"/> Backpack <input type="checkbox"/> Seat pouch <input type="checkbox"/> Positioning belt buckle 64" <input type="checkbox"/> Positioning belt buckle 54" <input type="checkbox"/> Swing-away tray table (Only available on height adjustable armrests) <input type="checkbox"/> Anti-tip tubes (pair) <input type="checkbox"/> F16 power unit (Please fill out F16 order form as well. See F16 order form for restrictions that apply on Quickie 2 specification when ordering F16)	8 8 48 41 34 34 155 61	

Base Price:	£ 1,995
Options:	£
Total Price:	£

Quickie® 2

Please ask for details on how to order online @

www.sunscript.co.uk

REAR SEAT HEIGHT

Axle Plate Position	1 + 2	2 + 3	3 + 4	4 + 5	5 + 6
20" Pneumatic	18 7/8"	17 7/8"	16 5/8"	15 1/2"	14 3/8"
20" Full poly tyres	18 5/8"	17 1/2"	16 1/4"	15 1/4"	14 1/8"
22" Pneumatic	19 3/4"	18 5/8"	17 1/2"	16 3/8"	15 1/4"
22" Solid Tyre	19 3/4"	18 5/8"	17 1/2"	16 5/8"	15 1/4"
24" Solid Tyre	20 3/4"	19 5/8"	18 1/2"	17 5/8"	16 1/4"
26" Pneumatic	21 3/4"	20 5/8"	19 1/2"	18 5/8"	17 1/4"

Actual measurements may vary up to 3/8"
Based on standard axle plate / standard frame
Curved axle plate / standard frame: +1"; reversed: -1"
Curved axle plate / curved rear frame:
Add 1/8" for quick release stems.
Hemi front frame: Subtract 2"

Front Seat Height

Fork Size	5 1/4" Fork		6" Fork		7" Fork	
	Bottom	Top	Bottom	Top	Bottom	Top
5" Polys / Solid Tyre	18 1/16"	17 1/16"	18 7/8"	17 7/8"	19 7/8"	18 7/8"
6" Solid Tyre	18 5/8"	17 5/8"	19 7/16"	18 7/16"	20 7/16"	19 7/16"
6" Pneumatic	18 5/8"	17 5/8"	19 7/16"	18 7/16"	20 7/16"	19 7/16"
8" Solid Tyre	19 7/16"	-	20 1/4"	19 1/4"	-	-
8" Pneumatic	19 5/8"	-	20 7/16"	19 7/16"	-	-

Std Spec. Overall Chair Width

14" width 22" (55cm)
15" width 23" (57.5")
16" width 24" (60cm)
17" width 25" (62.5cm)
18" width 26" (65cm)
19" width 27" (67.5cm)
20" width 28" (70cm)

Measurements are based on standard stem:
Add 3/4" for 3/4" stem
Add 1 1/2" for 1 1/2" stem

FOOTNOTES:

- (1) F.S = Factory Setting. If you would like to have the chair supplied with another back height please order in conjunction with the Specials Department Order Form
- (2) Not available on Kids frame
- (3) Not available with heel loops
- (4) Not available on Kids frame
(Only with 8x2" castor, only with 60° hangers, not on 70° front frame)
- (5) When drum brakes plus other brakes are ordered, the spares prices for other brakes applies
- (6) Not available with ELR/ALR or 90° hangers
- (7) Not available with rounded rear frame
- (8) Not available on Mag wheels
- (9) When selected in conjunction with 70° hangers, reg frame & 8" castors, the fork touches the rear wheel, therefore it is recommended to select 60° hangers to avoid this conflict.
- (10) Not available with Scissor wheel locks due to poor hold performance
- (11) Not available with hemi frame

All prices are in Pounds Sterling and Euros and exclude VAT. For latest issue, please refer to www.sunrisemedical.com. Please consult Sunrise Medical with any queries you may have.